Jammu and Kashmir Pollution Control Committee

Parivesh Bhavan, Forest Complex Silk Factory Road
Transport Nagar, Kashmir, 180 006 Rajbagh, Srinagar, 190 008

Tel - 0191-2476927; mail - membersecretaryikspcb@gmail.com

Order No. : 382 JK PCC of 2024

05/03/2024

Whereas, no activity having bearing on environment can be taken in hand without prior consent of the Pollution Control Committee, warranted under Section 25/26 and Section 21 of the Water (Prevention and Control of Pollution) Act 1974 and Air (Prevention and Control of Pollution) Act, 1981 respectively.

Whereas, Brick Kiln is categorized as Orange Category activity on the basis of pollution potential, for the purpose of seeking the consent from the JK Pollution Control Committee.

Whereas, Hon'ble National Green Tribunal in its order dt.02-02-2024 in O.A.No.594 of 2022 titled Syed Rivaz Versus Union Territory of J&K & Ors. directed to close down the brick kilns operating without consent from the Pollution Control Committee.

Whereas, Sh. Ghulam Mohd Dar has set up and put in operation a Brick Kiln under the name and style of M/s Dar Brick Kiln at Alliepora Shahoora-Pulwama in flagrant violation of above said requirements of law without obtaining consent from the J&K Pollution Control Committee, and operation of the Brick Kiln in its present status can prove detrimental to human health and environment.

Whereas, notice was served upon the Brick Kiln owner, (on 10-08-2023) calling upon him to show cause as to why legal action including closure of his Brick Kiln be not taken for violation of environmental laws.

Whereas, the owner of the Brick Kiln has failed to respond to the notice, besides failing to take measures to meet the requirements of laws governing environmental protection.

Whereas, fresh inspection was carried out by the Divisional Officer, Pollution Control Committee Pulwama on 20-01-2023, revealing that the status of the Brick Kiln remained unchanged. Regional Director, Pollution Control Committee Kashmir vide letter No. PCC/ROK/LS/2024/17-18 dated 23-02-2024 confirmed the inspection report of Divisional Officer, PCC, Pulwama and accordingly recommended it for closure.

Whereas, the Brick Kiln in question cannot be allowed to operate with above status as the operation can prove detrimental for human health and environment besides being in flagrant violation of laws governing environmental protection.

Now therefore in exercise of powers vested with J & K Pollution Control Committee under Section 33 (A) of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 (A) of the Air (Prevention and Control of Pollution) Act, 1981, the following directions are hereby issued:-

- Deputy Commissioner/ District Magistrate, Pulwama is directed to close down i. the brick kiln of Sh. Ghulam Mohd Dar under the name and style of M/s Dar Brick Kiln at Alliepora Shahoora-Pulwama immediately.
- Director Industries and Commerce, Kashmir is directed to deregister the Brick Kiln, ii. if registered
- Executive Engineer, (KPDCL) Electric Division, Pulwama is directed to disconnect iii. the electric supply to above said Brick Kiln immediately.
- Executive Engineer, PHE, Pulwama is directed to disconnect the water supply to iv. the above said Brick Kiln immediately.

Sh. Ghulam Mohd Dar (Prop.) M/s Dar Brick Kiln at Alliepora Shahoora-٧. Pulwama is directed to cease the operation of the Brick Kiln forthwith.

> Vasu Yadav Chairman

No:- JK PCC/LSK/ 7420766/2024 3359-3369 Dated:-05/03/2024

Copy to the:-

- i. Deputy Commissioner/ District Magistrate, Pulwama for information and necessary action under intimation.
- Regional Director, PCC, Kashmir for information and follow up action within a ii. fortnight, in reference to his letter No. PCC/ROK/LS/2024/17-18 dated 23-02-2024.
- iii. Chief Engineer, Kashmir Power Development Corporation Ltd. (KPDCL), Kashmir for information and necessary action under intimation.
- Chief Engineer, PHE, Kashmir for information and necessary action under intimation iv.
- Director Industries and Commerce, Kashmir for information and necessary action. ٧.
- vi. Executive Engineer, (KPDCL) Electric Division, Pulwama for information and necessary action.
- vii. Executive Engineer, PHE Division Pulwama for information and necessary action.
- viii. Divisional Officer, Pollution Control Committee, Pulwama for information and with the direction to follow up and get the closure order implemented through District Administration.
- ix. I/c Nodal Officer, J&K NGT PCC, Kashmir for information and necessary action.
- X. I/c web site Pollution Control Committee Kashmir for uploading the closure order
- xi. Sh. Ghulam Mohd Dar Prop. M/s Dar Brick Kiln at Alliepora Shahoora-Pulwama ma for compliance.